Our Reference: CBC-122-C

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant

Richard C. Wilson and Patrick M. Culpopper

RECEIVED

Scrial Number:

09/391,294

CENTRAL FAX CENTER

Piling Date

September 7, 1999

APR 1 8 2007

Exeminer/Art Group Unit:

R. Cardeld/3635

Title:

CORNER POST SUPPORT MEMBER.

Supplemental reseur application DECLARATION BY THE INVENTORS

Commissioner for Patanta PO Box 1450 Alexandria, VA 22313-1450

Ale:

We, Richard C. Wilson and Patrick M. Culpepper, declare that we are citizens of the United States of America and are the original, first, and joint inventors of U.S. Patent Nos. 5,542,222 and 3.664.376 of the foregoing specification. We solicit a relaste patent for the invention of U.S. Priest No. 5,664,376. Our residence and post office addresses are as stated below. We have reviewed and understand the contents of the above identified release specification and claims including the claims as amended up to the date of this declaration including the amendment in response to the Office Action of Nevember 21, 2007. We asknowledge the duty to disclose to the United States Petent and Trademark Office all information known that is meterial to patentability as defined in 37 C.P.R. § 1.56.

We believe that our patent is partly inoperative or invalid for the reason that we defined less then we had a right to claim in the patent. Further, we believe that our patent is partly inonerative or invalid for the reason that claims I and A contain vague terminology that does not clearly point out and distinctly elain the midden matter that we regard as our invention according to 35 U.S.C. § 112.

In particular, the scope of claims 1-4 is rendered indefinite by the language "have langths corresponding to the length of the corner of the building" and "has a length and thickness corresponding to end for filling the hollow space between the corner post and external wall of the building." The language in question defines dimensions of the support member by direct

7.001. Na. 19/391.394

relationably to the intended use environment. The inconstance between the preemble and the body of the claims randers the intended scope of the claim indefinite.

Every error in the persent that was corrected in the present release application and was not covered by a prior outh/declaration submitted in this application arose without any deceptive intent on the part of the applicants or their atterney. The error sought to be corrected by this application for release of the patent is to correct the vague and ambiguous language in the cistue of the patent.

Amended claim 1 corrects the indefinite language by incorporating functional language in the relationship of the support member and its intended use environment. Column 4, lines 28-30 (lines 8-10 in Amendment After Pinal) now mad "first and second longitudinally extending portions have longths adapted for corresponding to the longth of the corner of the building." Column 4, lines 30-32 (lines 10-12 in Amendment After Pinal) now read "said single member defines a cornered inner surface adapted for contacting the building and a spaced-apart cornered outer surface parallel to said comer inner surface adapted for contacting the corner post."

Claim 1 further recites a support and insulating member for a corner post comprising a single member having first and second longitudinally extending portions, the first portion lying in a first plane angularly disposed with respect to the second portion lying in a second plane, "a first support member flange lying in the first plane... and a second support member flange lying in the second plane, wherein the single member defines a cornered inner surface and a speed apart parallel cornered outer surface adapted for contacting the corner post" (lines 13-21 of Amendment After Final).

Amended cisins 2 recites a support and insulating member.

Amended clein 3 also recites a support and insulating member.

Amended claim 4 recites a support and insulating member and recites in lines 52-55 (lines 3-5 in Amendment After Final) "the support and insulating member has a length and thickness adapted for corresponding to and for filling the hollow space between the corner post and the external wall."

New claim is recited an insulating support comprising a single support member having first and second portions angularly disposed to each other, said first and second portions defining a cornered inner surface and a cornered order surface parallel to said cornered inner surface, said single support member having first and second support flanges extending outwardly from the first and second portions of the single support member respectively, said first and second flanges

Appr 146, 09/891,294

PARTITION

extending continuously along the entire length of the first and second portions with the flanges extending from the inner surface of the first and second portions.

Now claim 6 recites a support and insulating member for supporting and insulating a corner post. The corner post is made of this sheet material used to enclose one corner of an external well of a building, the corner past being spaced from the external wall to define a longitudinally extending hollow space. The support and insulating member comprises a single member formed of a meterial uniform throughout, the single member having first and second longitudinally extending portions with first and second flanges respectively, the first portion lying in a first plane angularly disposed with respect to the second portion lying in a second plane, wherein the first and econd <u>longinginally extending portions have lengths adapted for corresponding to the length of the corner</u> of the building and wherein the single member defines a connered inner surface adapted for connecting the building and a spaced spect comerci outer surface generally penalted to the corpored inner surface adepted for contacting the corner post, the first flange lying in the first plane and extending outwardly from the first persion a predetermined distance extending continuously along the entire length of the first portion and from the compared inner surface radially outwardly, and the second flange lying in the second plane and extending outwardly from the second portion a prodetermined distance and extending continuously along the entire length of the second portion and from the cornered inner surface radially outwardly.

Claim 7 revies a support and insulating member in which the material has insulating qualities.

Claim 8 also recites a support and insulating member in which the material is selected from the group consisting of expanded polystyrene from plastic, extruded polystyrene from plastic and molded polystyrene from plastic.

Claim 9 also recites that the insulating member has a length and thickness adapted for corresponding to and for filling the hollow space between the corner post and the external wall of the building along the entire length of the corner of the building.

Cleim 10 is directed to an insulating support comprising a single member formed of a material uniform throughout and having first and second portions angularly disposed from each other, the first and second portions defining a cornered inner surface and a cornered outer surface substantially parallel to the cornered inner surface, the single member having first and second tianges extending outwardly from the first and second portions respectively, the first and second

AND NO. OP PLANT

fleages extending continuously slong an entire length of the first and second portions wit the flanges extending from the inner surfaces and defining a detent.

We declare that all statements made berein of our own knowledge are true and that all statements made on information and bolisf are believed to be true, and further that the statements were made with the knowledge that willful false statements and the like so made are punishable by figo or imprisonment, or both, under Section 1001, This 18 of the United States Code, and that such willful false statements may impardize the validity of the application or any parent leaved thereon. POWER OF ATTORNEY

I heraby appoint the following attomoy(s) and/or agent(s) Thomas N. Young, Petent Office Registration No. 20985, William M. Hanler, Jr., Present Office Registration No. 28422, Marshall G. MacFarlane, Patent Office Registration No. 30403, Thomas D. Helmholdt, Patent Office Registration No. 33181, Todd L. Moore, Patent Office Registration No. 36874 Thomas B. Bella. Patent Office Registration No. 37,089 and Christopher A. Mitchell, Patent Office Registration No. 40729, Denise M. Glesemsyer, Patent Office Registration No. 31831 as my attorney(s) and/or agent(s), to prospectic this application and to transpor all business in the United States Peters and Trademark Office connected therewith.

Sand all correspondence to:

Young Basile, P.C. 3001 West Big Beaver Road, Suits 624

Troy, Michigan 48084 Phone: (248) 649-3353

Richard C. Wilson 14142 N. Bluff Road Traverse City, MI 49686

Date:

Progressive Feam Products Assignee: 6753 Chestaus Ridge Road

Beach City, Ohio 44608

Patrick M. Culpepper

6463 High Mil Road, N.W.

Magalilon, Ohio 44608

Petrick M. Culpapper Its President

Date:

Applyoments recorded in the United States Patent and Trademark Office on December 7, 1994, Rect 7315/Frame 385 and on June 6, 2002, Rect 012946/Frame 0440.

RECEIVED CENTRAL FAX CENTER

APR 1 8 2007

Our Reference: CBC-122-C

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:

Richard C. Wilson and Patrick M. Culpepper

Serial Number:

09/391,294

Filing Date

September 7, 1999

Examiner/Art Group Unit:

R. Canffeld/3635

Title:

CORNER POST SUPPORT MEMBER

SUPPLEMENTAL REISSUE APPLICATION DECLARATION BY THE INVENTORS

Commissioner for Patents PO Box 1450 Alexandria, VA 22313-1450

Sir:

We, Richard C. Wilson and Patrick M. Culpepper, declare that we are citizens of the United States of America and are the original, first, and joint inventors of U.S. Patent Nos. 5,542,222 and 5,664,376 of the foregoing specification. We solicit a reissue patent for the invention of U.S. Patent No. 5,664,376. Our residence and post office addresses are as stated below. We have reviewed and understand the contents of the above-identified reissue specification and claims including the claims as amended up to the date of this declaration including the amendment in response to the Office Action of November 21, 2007. We acknowledge the duty to disclose to the United States Patent and Trademark Office all information known that is material to patentability as defined in 37 C.F.R. § 1.56.

We believe that our patent is partly inoperative or invalid for the reason that we claimed less than we had a right to claim in the patent. Further, we believe that our patent is partly inoperative or invalid for the reason that claims 1 and 4 contain vague terminology that does not clearly point out and distinctly claim the subject matter that we regard as our invention according to 35 U.S.C. § 112.

In particular, the scope of claims 1-4 is rendered indefinite by the language "have lengths corresponding to the length of the corner of the building" and "has a length and thickness corresponding to and for filling the hollow space between the corner post and external wall of the building," The language in question defines dimensions of the support member by direct



relationship to the intended use environment. The inconsistency between the preamble and the body of the claims renders the intended scope of the claim indefinite.

Every error in the patent that was corrected in the present reissue application and was not covered by a prior oath/declaration submitted in this application arose without any deceptive intent on the part of the applicants or their attorney. The error sought to be corrected by this application for reissue of the patent is to correct the vague and ambiguous language in the claims of the patent.

Amended claim I corrects the indefinite language by incorporating functional language in the relationship of the support member and its intended use environment. Column 4, lines 28-30 (lines 8-10 in Amendment After Final) now read "first and second longitudinally extending portions have lengths adapted for corresponding to the length of the corner of the building." Column 4, lines 30-32 (lines 10-12 in Amendment After Final) now read "said single member defines a cornered inner surface adapted for contacting the building and a spaced-apart cornered outer surface parallel to said corner inner surface adapted for contacting the corner post,"

Claim 1 further recites a support and insulating member for a corner post comprising a single member having first and second longitudinally extending portions, the first portion lying in a first plane angularly disposed with respect to the second portion lying in a second plane, "a first support member flange lying in the first plane . . . and a second support member flange lying in the second plane, wherein the single member defines a cornered inner surface and a spaced apart parallel cornered outer surface adapted for contacting the corner post" (lines 13-21 of Amendment After Final).

Amended claim 2 recites a support and insulating member.

Amended claim 3 also recites a support and insulating member.

Amended claim 4 recites a support and insulating member and recites in lines 52-55 (lines 3-5 in Amendment After Final) "the support and insulating member has a length and thickness adapted for corresponding to and for filing the bollow space between the corner post and the external wall,"

New claim 5 recites an insulating support comprising a single support member having first and second portions angularly disposed to each other, said first and second portions defining a cornered inner surface and a cornered outer surface parallel to said cornered inner surface, said single support member having first and second support flanges extending outwardly from the first and second portions of the single support member respectively, said first and second flanges

Page 3 of 4

extending continuously along the emire length of the first and second portions with the flanges extending from the inner surface of the first and second portions.

New claim 6 recites a support and insulating member for supporting and insulating a corner post. The corner post is made of thin sheet material used to enclose one corner of an external wall of a building, the corner post being spaced from the external wall to define a longitudinally extending hollow space. The support and insulating member comprises a single member formed of a material uniform throughout, the single member having first and second longitudinally extending portions with first and second flanges respectively, the first portion lying in a first plane angularly disposed with respect to the second portion lying in a second plane, wherein the first and second longitudinally extending portions have lengths adapted for corresponding to the length of the corner of the building and wherein the single member defines a cornered inner surface adapted for contacting the building and a spaced apart cornered outer surface generally parallel to the cornered inner surface adapted for contacting the corner post, the first flange lying in the first plane and extending outwardly from the first portion a predetermined distance extending continuously along the entire length of the first portion and from the cornered inner surface radially outwardly, and the second flange lying in the second plane and extending outwardly from the second portion a predetermined distance and extending continuously along the entire length of the second portion and from the cornered inner surface radially outwardly.

Claim 7 recites a support and insulating member in which the material has insulating qualities.

Claim 8 also recites a support and insulating member in which the material is selected from the group consisting of expanded polystyrene foam plastic, extruded polystyrene foam plastic and molded polystyrene foam plastic.

Claim 9 also recites that the insulating member has a length and thickness adapted for corresponding to and for filling the hollow space between the corner post and the external wall of the building along the entire length of the corner of the building.

Claim 10 is directed to an insulating support comprising a single member formed of a material uniform throughout and having first and second portions angularly disposed from each other, the first and second portions defining a cornered inner surface and a cornered outer surface substantially parallel to the cornered inner surface, the single member having first and second flanges extending outwardly from the first and second portions respectively, the first and second

Appl. No. 09/391,294

flanges extending continuously along an entire length of the first and second portions wit the flanges extending from the inner surfaces and defining a detent.

We declare that all statements made herein of our own knowledge are true and that all statements made on information and belief are believed to be true, and further that the statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001, Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

POWER OF ATTORNEY:

I hereby appoint the following attorney(s) and/or agent(s) Thomas N. Young, Patent Office Registration No. 20985, William M. Hanlon, Jr., Patent Office Registration No. 28422, Marshall G. MacFarlane, Patent Office Registration No. 30403, Thomas D. Helmholdt, Patent Office Registration No. 33181, Todd L. Moore, Patent Office Registration No. 36874 Thomas E. Bejin, Patent Office Registration No. 37,089 and Christopher A. Mitchell, Patent Office Registration No. 40729, Denise M. Glassmeyer, Patent Office Registration No. 31831 as my attorney(s) and/or agent(s), to prosecute this application and to transact all business in the United States Patent and Trademark Office connected therewith.

Send all correspondence to:

Young Basile, P.C. 3001 West Big Beaver Road, Suite 624 Troy, Michigan 48084 Phone: (248) 649-3333

Richard C. Wilson	Patrick M. Culpepper
14142 N. Bluff Road	6465 High Mill Road, N.W.
Traverse City, MI 49686	Massillon, Ohio 44608
Date: 4/13/07	Date:
Assignce: Progressive Foam Products	•
6753 Chestnut Ridge Road Beach City, Ohio 44608	
• • • • • • • • • • • • • • • • • • • •	Ву:
	Patrick M. Culpepper
	Its President
	Date:

Assignments recorded in the United States Patent and Trademark Office on December 7, 1994, Reel 7315/Frame 385 and on June 6, 2002, Reel 012946/Frame 0440.

YOUNG BASILE

Denise M. Olssameyer 248.244.0127 glasmeyer@youngbasts.com Young Babile Hanlon Magfarlane & Melumplot Rc, Intellectual Property Law

SAM WEST BIG BEAVER ROAD, GUITE BRATTROY, MIGHTOAN 48884-0187

'î' (248) BAD-4988 Fi (248) DAD-2888

RECEIVED
CENTRAL FAX CENTER

April 12, 2007

APR 1 8 2007

Patrick M. Culpspper Progressive Form Technologies, Inc. 5753 Chestaut Ridge Road Beach City, OH 44608

Dick Wilson and Patrick Culpepper Richard Wilson 14142 N. Bluff Road Traverse City, MI 49686

Ro:

U.S. Reissue Application Serial No. 09/391,294

For: Corner Post Support Manager

Our Reft CDC-122-C

Dear Gentlemen:

I am taking this opportunity to follow-up on the Amendment previously submitted in this matter and to correct your Re-Issue Application Declaration to indicate the proper sadgnee. The U.S. Petent and Trademark Office has also requested that I resubmit the claims under consideration in a different format by April 19, 2007. I will respond to this request and present the Supplemental Re-Issue Application Declaration at the same time.

I ask that you date and sign the declaration in the proper spot. The Declaration can be returned to me and I will forward it to the U.S. Petern and Trademark Office in this meter. For your convenience Dick, I am including a return envelope. Pat, if you could please date, sign and first this document back to, that would suffice.

If you have any questions regarding this matter, please feel free to contact me, or my Administrative Absistant Lordel.

Very truly years,

Denise M. Glessmeyer

DMG/ijo Enclosure